






ANG SYSTEMS SDN BHD

HOTEL LOCK PRICING

2018



HOTEL ELECTRONIC LOCK

Item Code	Hotel Electronic Locks Products	Price
10001	Hotel Electronic Lock 101 Stainless Steel 	RM400
10002	Hotel Electronic Lock 201 High Quality Stainless Steel 	RM500
10004	Key Card Encoder Generate Guest, Housekeeping, GM Keys 	RM1000
10005	Data Retriever Download and Retrieve Lock Access Records from physical lock and view in Software 	RM1000
10006	Hotel Lock Management Software Controlling Guest Access 	RM1500



10007	<p>Energy Saving Switch 101 Control Room Power Supply</p> 	RM100
10008	<p>Hotel Key Card Printed and Colour Minimum Order 200 pieces</p> 	RM10
10009	<p>Hotel Key Card Blank Minimum Order 50 pieces</p> 	RM8
10010	<p>Magnetic Door Access Controller Keycard Common Door Access Controller</p> 	RM500
HP01	<p>Electronic Door Lock IC Chip For Model 101 / 201</p> 	RM150
HP02	<p>Electronic Door Lock Motor For Model 101 / 201</p> 	RM100



HP03	Replacement Lock and Keys For Model 101 / 201		RM100
HP04	Replacement Screw Set Screw Set for Model 101		RM20
HP05	Replacement Battery Holder Battery Holder for Model 101/201		RM20
HP06	Software Authorization Card Coded Key for Individual Hotel		RM325
HP07	Hotel Lock Authorization Card Coded Key for Individual Hotel		RM325

No	Training and Commissioning		Price
HS01	Hotel Lock Installation	By Hotel Contractor	-
HS02	Travel and Accommodation	Outside KL/KK Area	RM500 – RM1500
HS03	Hotel Lock Setup (Per Lock Unit)	Each Hotel Lock	25
HS04	Installation & Wiring of Energy Saver	By Hotel Contractor	-
HS05	Testing & Commissioning (2 Days)	Include 1 Year Free Support	-
HS06	Transportation of Locks and Goods		-



Hotel Locks - Important Notes :

- a) Please Notes on the installed door's thickness; our lock can be install on door with thickness between 38mm to 60mm (for solid wooden or fire door only)
- b) Please provide and email us the number of Right and Left handle to place your confirmed orders.
- c) Distance between the decorative edge of the door must be at lease 120mm
- d) Please provide us the front Desk Software Name and Brand. We need to determine whether the interface has been done with us before. As for new Front Desk Software interfacing additional charges might incur and discussion with them is required for testing.
- e) Installation of Energy Saving Switch require 3 Cables; 1 Life (IN) 1 Life (OUT) & 1 Neutral
- f) PC Requirement ; Windows XP PRO, Win 7 (Only work with 32 Bit Operating Systems)
- g) It is highly recommended to install a door closer on all the doors and refrain from using the dead bolt as a door stopper, otherwise constant slamming on the door violently may cause damaged to the dead bolt.
- h) The above quotation is based on new door, for existing door stainless Steel Plate @RM50 each might required

HOTEL LOCKS – Terms and Conditions:

- a) Prices quoted are subject to change without prior notice.
- b) Validity : 30 days from quoted date
- c) Warranty: 12 months against manufacturer's defect. However, the warranty does not cover any damages of equipment due mishandling or vandalism of the lock equipment
- d) Delivery : 6 to 8 weeks upon Purchase Order ; Full Payment
- e) Hotel Lock Software Licensing; License will only be awarded once Full Payment has been received from the purchaser.

Hotel Electronic Locks have become very common for most hotel in Malaysia. It gives hotel operator added value security to their hotel operation.

We have sold more than 3000 hotel lock since 2009 and it is one of the most reliable hotel lock manufacture from China in Malaysia. Here is our brief feature list as following, please



contact our sales representative for our fully functional evaluation demo to check our system in real environment.

Features:

- Fashionable design
- Free structure handle, anti-violence opening, thicker than ordinary ones in market
- Plastic cover treated for anti-scratch by card-swiping
- 2mm built-in steel panel to reinforce solidity of lock and reliable anti-burglar
- Suitable for hotels, high-grade offices and households use
- US standard five-latch mortise with anti-pick function

THERE IS NO EXTERNAL WIRING, INSTALLATION IS EASY AND RELIABLE

Specifications:

1. Power supply : 4.7 to 6.5 and 4 X 1.5V DC
2. Battery lifespan : >15,000 times
3. Inductive Sensitivity : <0.2 second, 100% effective and accurate to read card
4. Anti- static :> 15,000V (instant)
5. Applicable chip : Mifare-1 (13.56MHz) and Temic-5557 (125kHz)
6. Frequency range : 125KHZ to 13.56MHZ
7. Materials : Stainless steel and satin gold
8. Effective time of opening Lock : 6 Seconds
9. Alarm point of low voltage (beep and red light) : 4.7V, another 100 times for opening afterwards
10. Lock-fail warning : door in unlatched state and beeps after five seconds
11. Data query : audit trail records last 992 unlocking transactions
12. Mechanical key : standard over-ride to ensure door to be unlocked in emergency
13. Software system : operation authority of all levels of operators can be set in system, meets five levels management
14. Door thickness : 38 to 80 mm



ANGSYSTEMS Hotel Lock Setup Sample and Operation Flow

How does Hotel Lock System's work?

1. Setup Hotel Lock Management Software and Key Card Encoder to Hotel Lock Computer
 - a. The key card encoder creates a special number to assign to each key card with encoded time, date and room number that can be recognized by the hotel lock.
 - b. The hotel key card will expired on the time and date assigned by the receptionist's checkout date.
 - c. The whole system is control by the hotel key card
2. Hotel Locks (Physically installed by hotel contractor onto each room doors)
3. Hotel Electronic Lock Program individually by Ang Systems
4. Use either Temic Cards or Mifare Card to open Hotel Door
5. Lock Data Retriever is use for individual Hotel Lock Audit – You are able to go to individual hotel lock and download the last 250 door entry data base on the key card entry time, date and key card type and read it thru the hotel lock management software.

ANGSYSTEMS Hotel Locks Sales Terms and Conditions

1. Prices are subject to change without prior notice
2. Warranty: 12 months against manufacturer's defect. However, the warranty does not cover any damages of equipment due mishandling or vandalism of the lock equipment.
3. Product Delivery :
 - All lock hardware, supported devices and spare part (non-refundable) delivery within 1 to 6 weeks upon receiving 100% full payment on payment
 - Setup, installation, software licensing and commissioning
4. Hotel Lock Software Licensing: License will only be awarded once Full Payment has been received from the purchaser.
5. Hotel Key card Design and Printing
Hotel will need to provide us with their logo design, photo and Hotel Color Scheme for designing their hotel key card. We will only able to start printing



upon getting the official approved design from hotel. It will take between 3 to 4 weeks for delivery.

Hotel Electronic Lock Sales Procedures and Flow

We understand that setting up a new systems and operating a hotel require a lot of energies, times and patients. We have stated a timeline to guide you on what to expect from either parties so you can prepare in advance.

1	Quotation to Hotel Representative	Ang Systems
2	Purchase Order (PO)	Hotel
3	Invoice to Hotel	Ang Systems
4	100% Payment on All Hotel Locks and Components	Hotel
5	Delivery Hotel Locks to Installation site	Ang Systems
6	Hotel Contractor install physical hotel locks onto individual hotel door	Hotel
7	Hotel Lock System Setup, Configuration individual Hotel Lock, Training and Implementation at Hotel	Ang Systems
8	Hotel Lock Software Licensed	Ang Systems
9	Project Completed	Hotel